



District of Columbia

Live births, abortions, and pregnancies


Live birth rates, 1982–1992



Live birth rates,* 1991



Pregnancy rates,† 1990



National live birth rate ranking, 1990

Age group		
15-17	18-19	15-19
Highest	19th highest	Highest


*Missing bar indicates fewer than 10,000 females or fewer than 20 births. This graph refers to females aged 15–19 years.

†Pregnancy rates for age groups 15–17 years and 18–19 years are unknown because abortion data are not available.




Sexually transmitted diseases District of Columbia

Gonorrhea rates,* 1982–1992



Gonorrhea rates, 1992



National gonorrhea rate ranking,[†] 1992

Males – Highest Females – Highest

*Data were unavailable for 1984.



†National ranking refers to males and females aged 10–24 years.



Chlamydia cases and rates, 1988–1992

Chlamydia data are not available for District of Columbia.

Acquired immunodeficiency syndrome (AIDS) cumulative cases,* 1981–1992



*Missing bar indicates fewer than six cumulative cases.




Related risk behaviors,* 1993 District of Columbia

Had sexual intercourse (lifetime)




Had sexual intercourse with four or more people (lifetime)




Had sexual intercourse during the past three months (currently sexually active)



Used a condom during last sexual intercourse (among currently sexually active)



Used birth control pills during last sexual intercourse (among currently sexually active)



Injected illegal drugs (lifetime)



*Related risk behaviors refer to high school students.

Sources: CDC—NCHS and NCCDPHP (birth, abortion, and pregnancy data), NCPS (gonorrhea data), NCID (AIDS data); 1993 District of Columbia Youth Risk Behavior Survey (risk behavior data).

